

WHAT IS ISOLATED SYSTEM IN PHYSICS

UNDERSTANDING THE CONCEPT OF AN ISOLATED SYSTEM IN PHYSICS

WHAT IS ISOLATED SYSTEM IN PHYSICS IS A FUNDAMENTAL CONCEPT THAT UNDERPINS MUCH OF OUR UNDERSTANDING OF THE UNIVERSE, FROM THE SMALLEST SUBATOMIC PARTICLES TO THE GRANDEST CELESTIAL BODIES. AT ITS CORE, AN ISOLATED SYSTEM IS ONE THAT IS COMPLETELY CUT OFF FROM ITS SURROUNDINGS, MEANING IT NEITHER EXCHANGES ENERGY NOR MATTER WITH ANYTHING OUTSIDE OF ITSELF. THIS THEORETICAL IDEALIZATION ALLOWS PHYSICISTS TO SIMPLIFY COMPLEX SCENARIOS AND DERIVE PROFOUND LAWS GOVERNING PHYSICAL PHENOMENA. WITHOUT THIS CONCEPT, MANY CRUCIAL PRINCIPLES, SUCH AS CONSERVATION LAWS, WOULD BE FAR MORE CHALLENGING TO DEFINE AND APPLY. THIS ARTICLE WILL DELVE DEEPLY INTO THE DEFINITION OF AN ISOLATED SYSTEM, EXPLORE ITS DEFINING CHARACTERISTICS, DIFFERENTIATE IT FROM OTHER TYPES OF SYSTEMS, DISCUSS ITS IMPORTANCE IN VARIOUS BRANCHES OF PHYSICS, AND EXAMINE REAL-WORLD APPROXIMATIONS.

TABLE OF CONTENTS

DEFINITION AND CORE PRINCIPLES OF AN ISOLATED SYSTEM
KEY CHARACTERISTICS DEFINING AN ISOLATED SYSTEM
TYPES OF SYSTEMS IN THERMODYNAMICS AND THEIR DISTINCTIONS
ISOLATED SYSTEMS: THE IDEAL BOUNDARY
CLOSED SYSTEMS: ENERGY EXCHANGE, NO MATTER
OPEN SYSTEMS: BOTH ENERGY AND MATTER TRANSFER
THE SIGNIFICANCE OF ISOLATED SYSTEMS IN CLASSICAL MECHANICS
CONSERVATION OF MOMENTUM IN ISOLATED SYSTEMS
CONSERVATION OF ANGULAR MOMENTUM
ISOLATED SYSTEMS IN THERMODYNAMICS AND STATISTICAL MECHANICS
THE FIRST LAW OF THERMODYNAMICS FOR ISOLATED SYSTEMS
THE SECOND LAW OF THERMODYNAMICS AND ENTROPY
MICROSTATES AND MACROSTATES
REAL-WORLD APPROXIMATIONS OF ISOLATED SYSTEMS
THE UNIVERSE AS AN ISOLATED SYSTEM?
LABORATORY EXPERIMENTS AND CONTROLLED ENVIRONMENTS
CHALLENGES IN ACHIEVING TRUE ISOLATION
EVERYDAY ANALOGIES FOR ISOLATED SYSTEMS

DEFINITION AND CORE PRINCIPLES OF AN ISOLATED SYSTEM

AN ISOLATED SYSTEM IN PHYSICS IS DEFINED AS A THERMODYNAMIC OR MECHANICAL SYSTEM THAT IS PERFECTLY SHIELDED FROM ITS EXTERNAL ENVIRONMENT, MEANING IT CANNOT EXCHANGE ENERGY IN ANY FORM (HEAT, WORK, RADIATION) OR MATTER WITH ANYTHING OUTSIDE OF ITS BOUNDARIES. THIS IS A THEORETICAL CONSTRUCT, A PERFECT IDEALIZATION THAT SIMPLIFIES THE ANALYSIS OF PHYSICAL PROCESSES. IN ESSENCE, IT'S A SELF-CONTAINED UNIVERSE WITHIN OUR LARGER UNIVERSE, WHERE ALL INTERACTIONS AND TRANSFORMATIONS HAPPEN SOLELY WITHIN ITS CONFINES. THE STATE OF AN ISOLATED SYSTEM CAN ONLY CHANGE DUE TO INTERNAL PROCESSES OR INTERACTIONS BETWEEN ITS CONSTITUENT PARTS.

THE PRIMARY PRINCIPLE GOVERNING ISOLATED SYSTEMS IS THE CONCEPT OF CONSERVATION. BECAUSE NO EXTERNAL INFLUENCE CAN PERTURB THE SYSTEM, CERTAIN QUANTITIES REMAIN CONSTANT OVER TIME. THESE CONSERVED QUANTITIES ARE THE BEDROCK UPON WHICH MANY FUNDAMENTAL LAWS OF PHYSICS ARE BUILT. THINK OF IT LIKE A PERFECTLY SEALED, SUPER-INSULATED CONTAINER; NOTHING GETS IN, AND NOTHING GETS OUT. THIS LACK OF EXTERNAL INTERACTION IS WHAT MAKES THE STUDY OF THESE SYSTEMS SO POWERFUL FOR UNDERSTANDING INTRINSIC BEHAVIORS.

KEY CHARACTERISTICS DEFINING AN ISOLATED SYSTEM

SEVERAL DEFINING CHARACTERISTICS SET AN ISOLATED SYSTEM APART. FIRSTLY, AND MOST CRUCIALLY, IS THE ABSENCE OF ENERGY TRANSFER. THIS MEANS NO HEAT CAN FLOW INTO OR OUT OF THE SYSTEM, NO WORK CAN BE DONE ON OR BY THE SYSTEM FROM EXTERNAL FORCES, AND NO ELECTROMAGNETIC RADIATION CAN BE ABSORBED OR EMITTED ACROSS ITS BOUNDARY. SECONDLY, THERE IS A COMPLETE PROHIBITION OF MATTER EXCHANGE. NO PARTICLES CAN ENTER THE SYSTEM, AND NONE CAN

LEAVE. THIS STRICT SEPARATION ENSURES THAT THE TOTAL MASS AND THE NUMBER OF PARTICLES WITHIN THE SYSTEM REMAIN CONSTANT.

CONSEQUENTLY, ANY CHANGES OBSERVED WITHIN AN ISOLATED SYSTEM MUST ORIGINATE FROM THE INTERACTIONS BETWEEN ITS INTERNAL COMPONENTS. THIS LEADS TO THE CONCEPT OF INTERNAL ENERGY, WHICH FOR AN ISOLATED SYSTEM, REMAINS CONSTANT. IF THE SYSTEM IS AT REST AND NO INTERNAL FORCES ARE DOING WORK, ITS TOTAL ENERGY WILL REMAIN INVARIANT. THIS PERFECT INSULATION IS THE DEFINING FEATURE, MAKING IT A PRISTINE ENVIRONMENT FOR OBSERVING FUNDAMENTAL PHYSICAL LAWS IN ACTION WITHOUT THE COMPLICATIONS OF EXTERNAL INTERFERENCE.

TYPES OF SYSTEMS IN THERMODYNAMICS AND THEIR DISTINCTIONS

IN THERMODYNAMICS, SYSTEMS ARE CATEGORIZED BASED ON HOW THEY INTERACT WITH THEIR SURROUNDINGS. UNDERSTANDING THESE DISTINCTIONS IS CRUCIAL FOR CORRECTLY APPLYING THERMODYNAMIC PRINCIPLES. THE CONCEPT OF AN ISOLATED SYSTEM IS PART OF A SPECTRUM THAT HELPS US CLASSIFY THESE INTERACTIONS.

ISOLATED SYSTEMS: THE IDEAL BOUNDARY

AS DISCUSSED, AN ISOLATED SYSTEM EXCHANGES NEITHER ENERGY NOR MATTER WITH ITS SURROUNDINGS. IT REPRESENTS THE ULTIMATE BOUNDARY, A CONCEPTUAL PERFECT BARRIER THAT COMPLETELY INSULATES THE SYSTEM. WHILE TRULY ISOLATED SYSTEMS ARE THEORETICAL IDEALS, THEY ARE INVALUABLE FOR FORMULATING FUNDAMENTAL LAWS, AS THEY ELIMINATE EXTERNAL VARIABLES THAT COULD COMPLICATE ANALYSIS.

CLOSED SYSTEMS: ENERGY EXCHANGE, NO MATTER

A CLOSED SYSTEM, UNLIKE AN ISOLATED ONE, CAN EXCHANGE ENERGY WITH ITS SURROUNDINGS BUT NOT MATTER. IMAGINE A SEALED POT OF WATER ON A STOVE. HEAT (ENERGY) CAN TRANSFER FROM THE STOVE TO THE WATER, BUT NO WATER VAPOR (MATTER) CAN ESCAPE THE POT. THE TOTAL MASS WITHIN THE POT REMAINS CONSTANT, BUT ITS INTERNAL ENERGY CAN CHANGE DUE TO HEAT ABSORPTION OR WORK DONE ON/BY THE SYSTEM.

OPEN SYSTEMS: BOTH ENERGY AND MATTER TRANSFER

AN OPEN SYSTEM IS THE MOST COMMON TYPE ENCOUNTERED IN EVERYDAY LIFE AND IN MANY SCIENTIFIC CONTEXTS. IT CAN EXCHANGE BOTH ENERGY AND MATTER WITH ITS SURROUNDINGS. A BOILING POT OF WATER WITHOUT A LID IS AN EXCELLENT EXAMPLE OF AN OPEN SYSTEM. HEAT IS TRANSFERRED FROM THE STOVE TO THE WATER, AND WATER VAPOR (MATTER) ESCAPES INTO THE ATMOSPHERE.

THE SIGNIFICANCE OF ISOLATED SYSTEMS IN CLASSICAL MECHANICS

IN CLASSICAL MECHANICS, THE CONCEPT OF AN ISOLATED SYSTEM IS PARAMOUNT FOR UNDERSTANDING AND DERIVING FUNDAMENTAL CONSERVATION LAWS. THESE LAWS ARE NOT JUST DESCRIPTIVE; THEY ARE PREDICTIVE AND PROVIDE POWERFUL TOOLS FOR ANALYZING COMPLEX PHYSICAL SCENARIOS WITHOUT NEEDING TO TRACK EVERY SINGLE FORCE AND INTERACTION.

CONSERVATION OF MOMENTUM IN ISOLATED SYSTEMS

ONE OF THE MOST SIGNIFICANT IMPLICATIONS OF AN ISOLATED SYSTEM IN CLASSICAL MECHANICS IS THE CONSERVATION OF LINEAR MOMENTUM. IF A SYSTEM IS ISOLATED, MEANING NO EXTERNAL FORCES ARE ACTING UPON IT, THE TOTAL LINEAR MOMENTUM OF THE SYSTEM REMAINS CONSTANT. MOMENTUM IS DEFINED AS THE PRODUCT OF MASS AND VELOCITY ($p = mv$). IN A SYSTEM COMPRISING MULTIPLE OBJECTS, THE TOTAL MOMENTUM IS THE VECTOR SUM OF THE INDIVIDUAL MOMENTA OF ALL OBJECTS. WHEN THESE OBJECTS INTERACT WITH EACH OTHER (E.G., IN COLLISIONS), THEIR INDIVIDUAL MOMENTA MAY CHANGE, BUT THE TOTAL MOMENTUM OF THE ENTIRE ISOLATED SYSTEM WILL ALWAYS REMAIN THE SAME BEFORE AND AFTER THE

INTERACTION. THIS PRINCIPLE IS FUNDAMENTAL TO UNDERSTANDING COLLISIONS, EXPLOSIONS, AND ROCKET PROPULSION.

CONSERVATION OF ANGULAR MOMENTUM

SIMILARLY, FOR AN ISOLATED SYSTEM, THE TOTAL ANGULAR MOMENTUM ALSO REMAINS CONSERVED. ANGULAR MOMENTUM IS THE ROTATIONAL EQUIVALENT OF LINEAR MOMENTUM AND DEPENDS ON AN OBJECT'S MASS, VELOCITY, AND DISTRIBUTION OF MASS RELATIVE TO ITS AXIS OF ROTATION. IF THERE ARE NO EXTERNAL TORQUES ACTING ON THE SYSTEM, ITS TOTAL ANGULAR MOMENTUM WILL NOT CHANGE. A FIGURE SKATER PULLING THEIR ARMS IN TO SPIN FASTER IS A CLASSIC EXAMPLE: AS THEIR DISTRIBUTION OF MASS CHANGES (BECOMES MORE COMPACT), THEIR ROTATIONAL SPEED INCREASES TO KEEP THE ANGULAR MOMENTUM CONSTANT. THIS LAW IS CRITICAL IN ASTROPHYSICS FOR UNDERSTANDING THE ROTATION OF PLANETS, STARS, AND GALAXIES.

ISOLATED SYSTEMS IN THERMODYNAMICS AND STATISTICAL MECHANICS

THE CONCEPT OF AN ISOLATED SYSTEM EXTENDS POWERFULLY INTO THERMODYNAMICS AND STATISTICAL MECHANICS, WHERE IT FORMS THE BASIS FOR UNDERSTANDING ENTROPY AND THE DIRECTIONALITY OF NATURAL PROCESSES.

THE FIRST LAW OF THERMODYNAMICS FOR ISOLATED SYSTEMS

THE FIRST LAW OF THERMODYNAMICS IS ESSENTIALLY A STATEMENT OF THE CONSERVATION OF ENERGY. FOR AN ISOLATED SYSTEM, THIS LAW SIMPLIFIES BEAUTIFULLY: THE TOTAL ENERGY OF THE SYSTEM REMAINS CONSTANT. SINCE NO ENERGY CAN ENTER OR LEAVE, ANY INTERNAL CHANGES IN THE SYSTEM'S ENERGY (E.G., FROM CHEMICAL REACTIONS OR PHYSICAL TRANSFORMATIONS) MUST RESULT IN A CORRESPONDING CHANGE IN ANOTHER FORM OF ENERGY WITHIN THE SYSTEM, SUCH THAT THE TOTAL SUM IS ALWAYS PRESERVED. MATHEMATICALLY, IF U IS THE INTERNAL ENERGY OF AN ISOLATED SYSTEM, THEN $\Delta U = 0$.

THE SECOND LAW OF THERMODYNAMICS AND ENTROPY

THE SECOND LAW OF THERMODYNAMICS INTRODUCES THE CONCEPT OF ENTROPY, WHICH IS A MEASURE OF THE DISORDER OR RANDOMNESS WITHIN A SYSTEM. FOR AN ISOLATED SYSTEM, THE SECOND LAW STATES THAT THE ENTROPY OF THE SYSTEM CAN NEVER DECREASE; IT WILL EITHER REMAIN CONSTANT (IN THE CASE OF REVERSIBLE PROCESSES, WHICH ARE AN IDEALIZATION) OR INCREASE OVER TIME (IN THE CASE OF IRREVERSIBLE OR SPONTANEOUS PROCESSES). THIS MEANS THAT ISOLATED SYSTEMS NATURALLY TEND TOWARDS STATES OF GREATER DISORDER. THINK OF A PERFECTLY MIXED DECK OF CARDS; IT'S HIGHLY UNLIKELY TO SPONTANEOUSLY SORT ITSELF BACK INTO SUITS AND RANKS. THIS TENDENCY TOWARDS INCREASING ENTROPY DICTATES THE DIRECTION OF SPONTANEOUS PROCESSES IN THE UNIVERSE.

MICROSTATES AND MACROSTATES

IN STATISTICAL MECHANICS, AN ISOLATED SYSTEM CAN BE DESCRIBED BY ITS MACROSTATE, WHICH REFERS TO OBSERVABLE PROPERTIES LIKE TEMPERATURE, PRESSURE, AND VOLUME. HOWEVER, A GIVEN MACROSTATE CAN BE ACHIEVED BY A VAST NUMBER OF DIFFERENT MICROSCOPIC ARRANGEMENTS OF PARTICLES, KNOWN AS MICROSTATES. FOR AN ISOLATED SYSTEM, THE MOST PROBABLE MACROSTATE IS THE ONE WITH THE LARGEST NUMBER OF CORRESPONDING MICROSTATES. THIS STATISTICAL APPROACH HELPS EXPLAIN WHY SYSTEMS TEND TOWARDS HIGHER ENTROPY; THE DISORDERED STATES ARE SIMPLY STATISTICALLY MUCH MORE LIKELY TO OCCUR THAN ORDERED ONES.

REAL-WORLD APPROXIMATIONS OF ISOLATED SYSTEMS

WHILE TRULY ISOLATED SYSTEMS ARE THEORETICAL IDEALS, MANY REAL-WORLD SCENARIOS CAN BE APPROXIMATED AS ISOLATED SYSTEMS UNDER SPECIFIC CONDITIONS. THIS ALLOWS US TO APPLY THE PRINCIPLES DERIVED FOR ISOLATED SYSTEMS

TO PRACTICAL PROBLEMS.

THE UNIVERSE AS AN ISOLATED SYSTEM?

COSMOLOGISTS OFTEN CONSIDER THE UNIVERSE AS A WHOLE TO BE AN ISOLATED SYSTEM. THIS IS BASED ON THE ASSUMPTION THAT THERE IS NOTHING OUTSIDE THE UNIVERSE FROM WHICH IT CAN EXCHANGE ENERGY OR MATTER. IF THIS IS TRUE, THEN FUNDAMENTAL CONSERVATION LAWS, LIKE THE CONSERVATION OF ENERGY AND MOMENTUM, SHOULD HOLD FOR THE ENTIRE UNIVERSE. HOWEVER, THIS IS A PHILOSOPHICAL AND COSMOLOGICAL QUESTION WITH ONGOING SCIENTIFIC DEBATE AND RELIES ON SPECIFIC COSMOLOGICAL MODELS.

LABORATORY EXPERIMENTS AND CONTROLLED ENVIRONMENTS

IN PHYSICS LABORATORIES, SCIENTISTS STRIVE TO CREATE CONDITIONS THAT CLOSELY APPROXIMATE ISOLATED SYSTEMS. THIS INVOLVES USING VACUUM CHAMBERS TO MINIMIZE INTERACTIONS WITH AIR, EMPLOYING SOPHISTICATED INSULATION TO REDUCE HEAT TRANSFER, AND CAREFULLY DESIGNING EXPERIMENTS TO MINIMIZE EXTERNAL INFLUENCES. FOR EXAMPLE, AN EXPERIMENT MEASURING THE MOMENTUM TRANSFER DURING A COLLISION BETWEEN TWO BILLIARD BALLS IN A CAREFULLY CONTROLLED, FRICTIONLESS ENVIRONMENT MIGHT BE CONSIDERED A GOOD APPROXIMATION OF AN ISOLATED SYSTEM FOR A SHORT DURATION.

CHALLENGES IN ACHIEVING TRUE ISOLATION

ACHIEVING PERFECT ISOLATION IS INCREDIBLY CHALLENGING. EVEN IN THE MOST CONTROLLED ENVIRONMENTS, THERE ARE ALWAYS SUBTLE FORMS OF ENERGY EXCHANGE, SUCH AS MINUTE THERMAL RADIATION, GRAVITATIONAL INFLUENCES FROM DISTANT OBJECTS, OR QUANTUM MECHANICAL EFFECTS THAT ARE DIFFICULT TO COMPLETELY ELIMINATE. THEREFORE, IT'S IMPORTANT TO RECOGNIZE THAT REAL-WORLD SYSTEMS ARE USUALLY APPROXIMATIONS, AND THE DEGREE OF ISOLATION AFFECTS THE ACCURACY OF THE RESULTS OBTAINED BY APPLYING THE LAWS OF ISOLATED SYSTEMS.

EVERYDAY ANALOGIES FOR ISOLATED SYSTEMS

TO BETTER GRASP THE CONCEPT OF AN ISOLATED SYSTEM, CONSIDER A FEW ANALOGIES. IMAGINE A PERFECTLY SEALED THERMOS FLASK CONTAINING HOT COFFEE. IF THE THERMOS IS PERFECTLY INSULATED, THE COFFEE WILL REMAIN HOT FOR A VERY LONG TIME, AS NO HEAT (ENERGY) ENTERS OR LEAVES. NO STEAM (MATTER) ESCAPES. THIS REPRESENTS A CLOSE APPROXIMATION OF AN ISOLATED SYSTEM FOR ENERGY, AND NEARLY SO FOR MATTER OVER A LIMITED TIME. ANOTHER EXAMPLE COULD BE A PERFECTLY FUNCTIONING REFRIGERATOR OPERATING IN A PERFECTLY INSULATED ROOM THAT IS ALSO ISOLATED FROM ANY POWER SOURCE ONCE TURNED OFF; ITS INTERNAL STATE WOULD REMAIN CONSTANT INDEFINITELY IF TRULY ISOLATED. THESE SIMPLE EXAMPLES HELP ILLUSTRATE THE CORE IDEA OF A SYSTEM DETACHED FROM ITS SURROUNDINGS.

FAQ

Q: WHAT IS THE PRIMARY DIFFERENCE BETWEEN AN ISOLATED SYSTEM AND A CLOSED SYSTEM IN PHYSICS?

A: THE PRIMARY DIFFERENCE LIES IN THE EXCHANGE OF MATTER. AN ISOLATED SYSTEM EXCHANGES NEITHER ENERGY NOR MATTER WITH ITS SURROUNDINGS. A CLOSED SYSTEM, HOWEVER, CAN EXCHANGE ENERGY (LIKE HEAT OR WORK) BUT NOT MATTER.

Q: ARE THERE ANY REAL-WORLD EXAMPLES OF PERFECTLY ISOLATED SYSTEMS?

A: PERFECTLY ISOLATED SYSTEMS ARE THEORETICAL IDEALS. WHILE SCIENTISTS STRIVE TO CREATE HIGHLY ISOLATED CONDITIONS IN LABORATORIES, IT IS PRACTICALLY IMPOSSIBLE TO ACHIEVE ABSOLUTE ISOLATION FROM ALL FORMS OF ENERGY

AND MATTER EXCHANGE.

Q: WHY IS THE CONCEPT OF AN ISOLATED SYSTEM IMPORTANT IN PHYSICS?

A: THE CONCEPT IS CRUCIAL BECAUSE IT ALLOWS FOR THE FORMULATION AND UNDERSTANDING OF FUNDAMENTAL CONSERVATION LAWS, SUCH AS THE CONSERVATION OF ENERGY, MOMENTUM, AND ANGULAR MOMENTUM, WHICH ARE ESSENTIAL FOR EXPLAINING A VAST ARRAY OF PHYSICAL PHENOMENA.

Q: HOW DOES THE SECOND LAW OF THERMODYNAMICS RELATE TO ISOLATED SYSTEMS?

A: THE SECOND LAW OF THERMODYNAMICS STATES THAT THE ENTROPY (A MEASURE OF DISORDER) OF AN ISOLATED SYSTEM CAN NEVER DECREASE; IT WILL EITHER REMAIN CONSTANT FOR REVERSIBLE PROCESSES OR INCREASE FOR IRREVERSIBLE (SPONTANEOUS) PROCESSES.

Q: CAN THE UNIVERSE BE CONSIDERED AN ISOLATED SYSTEM?

A: MANY COSMOLOGICAL MODELS TREAT THE UNIVERSE AS AN ISOLATED SYSTEM, ASSUMING THERE IS NOTHING OUTSIDE IT FROM WHICH IT CAN EXCHANGE ENERGY OR MATTER. HOWEVER, THIS IS A SUBJECT OF ONGOING SCIENTIFIC AND PHILOSOPHICAL DISCUSSION.

Q: WHAT ARE MICROSTATES AND MACROSTATES IN THE CONTEXT OF AN ISOLATED SYSTEM?

A: A MACROSTATE DESCRIBES THE OBSERVABLE PROPERTIES OF A SYSTEM (LIKE TEMPERATURE), WHILE MICROSTATES REFER TO THE SPECIFIC CONFIGURATIONS OF ITS CONSTITUENT PARTICLES THAT RESULT IN THAT MACROSTATE. ISOLATED SYSTEMS TEND TOWARDS MACROSTATES WITH THE HIGHEST NUMBER OF MICROSTATES, WHICH CORRESPONDS TO HIGHER ENTROPY.

Q: HOW DO PHYSICISTS ATTEMPT TO APPROXIMATE ISOLATED SYSTEMS IN EXPERIMENTS?

A: PHYSICISTS USE CONTROLLED ENVIRONMENTS, VACUUM CHAMBERS, INSULATION, AND SHIELDING TO MINIMIZE ENERGY AND MATTER EXCHANGE WITH THE SURROUNDINGS, CREATING CONDITIONS THAT CLOSELY MIMIC ISOLATED SYSTEMS FOR SHORT PERIODS OR SPECIFIC MEASUREMENTS.

Q: WHAT HAPPENS TO THE INTERNAL ENERGY OF AN ISOLATED SYSTEM ACCORDING TO THE FIRST LAW OF THERMODYNAMICS?

A: ACCORDING TO THE FIRST LAW OF THERMODYNAMICS, THE TOTAL INTERNAL ENERGY OF AN ISOLATED SYSTEM REMAINS CONSTANT BECAUSE NO ENERGY CAN ENTER OR LEAVE IT.

What Is Isolated System In Physics

What Is Isolated System In Physics

Related Articles

- [what is a medium in physics](#)
- [wave in physics pdf](#)
- [valsamis physics](#)

[Back to Home](#)