

WHAT IS THE WORK ENERGY THEOREM IN PHYSICS

WHAT IS THE WORK ENERGY THEOREM IN PHYSICS, AND HOW DOES IT CONNECT TWO FUNDAMENTAL CONCEPTS IN CLASSICAL MECHANICS? THIS ARTICLE DELVES DEEP INTO THIS CRUCIAL PRINCIPLE, EXPLAINING ITS CORE IDEA: THAT THE NET WORK DONE ON AN OBJECT DIRECTLY RESULTS IN A CHANGE IN ITS KINETIC ENERGY. WE'LL EXPLORE THE ORIGINS OF THIS THEOREM, BREAK DOWN ITS MATHEMATICAL FORMULATION, AND ILLUSTRATE ITS APPLICATION THROUGH PRACTICAL EXAMPLES. YOU'LL DISCOVER WHY UNDERSTANDING THE WORK-ENERGY RELATIONSHIP IS ESSENTIAL FOR ANALYZING MOTION, FORCES, AND ENERGY TRANSFORMATIONS IN COUNTLESS PHYSICAL SCENARIOS, FROM EVERYDAY MOVEMENTS TO COMPLEX ENGINEERING PROBLEMS. GET READY TO UNLOCK A MORE INTUITIVE UNDERSTANDING OF HOW FORCES AFFECT AN OBJECT'S MOTION.

TABLE OF CONTENTS

UNDERSTANDING THE CORE CONCEPT
THE MATHEMATICAL FORMULATION OF THE WORK-ENERGY THEOREM
KEY COMPONENTS EXPLAINED
WORK DONE BY DIFFERENT FORCES
APPLICATIONS OF THE WORK-ENERGY THEOREM
ILLUSTRATIVE EXAMPLES
WORK-ENERGY THEOREM VS. OTHER PHYSICS PRINCIPLES
LIMITATIONS AND CONSIDERATIONS

UNDERSTANDING THE CORE CONCEPT

AT ITS HEART, THE WORK-ENERGY THEOREM IN PHYSICS IS A POWERFUL STATEMENT ABOUT CAUSALITY. IT TELLS US THAT IF YOU WANT TO CHANGE AN OBJECT'S SPEED – AND THEREFORE ITS KINETIC ENERGY – YOU NEED TO DO WORK ON IT. CONVERSELY, IF WORK IS DONE ON AN OBJECT, ITS KINETIC ENERGY MUST CHANGE. IT'S LIKE A FUNDAMENTAL ACCOUNTING PRINCIPLE FOR MOTION AND ENERGY. THINK ABOUT IT: PUSHING A STALLED CAR REQUIRES EFFORT (WORK), AND AS YOU PUSH, THE CAR STARTS TO MOVE, GAINING SPEED AND KINETIC ENERGY. THE THEOREM QUANTIFIES THIS RELATIONSHIP, MAKING IT A CORNERSTONE OF OUR UNDERSTANDING OF MECHANICAL SYSTEMS.

THIS THEOREM BRIDGES THE GAP BETWEEN THE ABSTRACT CONCEPTS OF FORCE AND DISPLACEMENT (WHICH DEFINE WORK) AND THE DYNAMIC STATE OF AN OBJECT'S MOTION (WHICH DEFINES KINETIC ENERGY). IT'S NOT JUST A THEORETICAL CURIOSITY; IT PROVIDES A PRACTICAL METHOD FOR ANALYZING HOW FORCES INFLUENCE AN OBJECT'S MOTION WITHOUT NEEDING TO DELVE INTO THE INTRICACIES OF TIME-DEPENDENT ACCELERATION AND KINEMATICS EQUATIONS. WE CAN OFTEN CALCULATE THE CHANGE IN KINETIC ENERGY DIRECTLY FROM THE NET WORK DONE, SIMPLIFYING PROBLEM-SOLVING CONSIDERABLY.

THE MATHEMATICAL FORMULATION OF THE WORK-ENERGY THEOREM

THE WORK-ENERGY THEOREM IS ELEGANTLY EXPRESSED THROUGH A SIMPLE YET PROFOUND EQUATION. IT STATES THAT THE NET WORK DONE (W_{NET}) ON AN OBJECT IS EQUAL TO THE CHANGE IN ITS KINETIC ENERGY (ΔKE). MATHEMATICALLY, THIS IS REPRESENTED AS:

$$W_{\text{NET}} = \Delta KE$$

THIS EQUATION IS THE BEDROCK OF THE THEOREM. IT MEANS THAT THE SUM OF ALL WORK DONE BY ALL FORCES ACTING ON AN OBJECT WILL PRECISELY EQUAL THE DIFFERENCE BETWEEN ITS FINAL KINETIC ENERGY AND ITS INITIAL KINETIC ENERGY. THIS CHANGE IN KINETIC ENERGY IS OFTEN THOUGHT OF AS THE ENERGY TRANSFERRED INTO OR OUT OF THE OBJECT'S MOTION.

BREAKING DOWN THE EQUATION

TO TRULY GRASP THE THEOREM, WE MUST UNDERSTAND ITS CONSTITUENT PARTS. KINETIC ENERGY ITSELF IS THE ENERGY AN OBJECT POSSESSES DUE TO ITS MOTION. IT'S CALCULATED USING THE FORMULA $KE = \frac{1}{2}mv^2$, WHERE 'M' REPRESENTS THE OBJECT'S MASS AND 'V' IS ITS VELOCITY. THE CHANGE IN KINETIC ENERGY, ΔKE , IS THEN THE FINAL KINETIC ENERGY (KE_f) MINUS THE INITIAL KINETIC ENERGY (KE_i), SO $\Delta KE = KE_f - KE_i$. WHEN THESE ARE SUBSTITUTED INTO THE MAIN EQUATION, WE GET $W_{\text{NET}} = \frac{1}{2}mv_f^2 - \frac{1}{2}mv_i^2$. THIS FORM HIGHLIGHTS HOW CHANGES IN VELOCITY, INFLUENCED BY THE NET WORK, DIRECTLY ALTER THE OBJECT'S ENERGY OF MOTION.

KEY COMPONENTS EXPLAINED

LET'S DISSECT THE FUNDAMENTAL ELEMENTS THAT MAKE UP THE WORK-ENERGY THEOREM: WORK AND KINETIC ENERGY.

WHAT IS WORK IN PHYSICS?

IN PHYSICS, WORK IS NOT JUST ABOUT EXERTION; IT'S A VERY SPECIFIC CONCEPT. WORK IS DONE WHEN A FORCE CAUSES AN OBJECT TO MOVE A CERTAIN DISTANCE. CRUCIALLY, THE FORCE MUST HAVE A COMPONENT ACTING IN THE DIRECTION OF THE DISPLACEMENT. IF YOU PUSH A WALL, YOU MIGHT GET TIRED, BUT NO WORK IS DONE BECAUSE THE WALL DOESN'T MOVE. THE FORMULA FOR WORK (W) DONE BY A CONSTANT FORCE (F) OVER A DISPLACEMENT (d) IS $W = Fd \cos(\theta)$, WHERE θ IS THE ANGLE BETWEEN THE FORCE VECTOR AND THE DISPLACEMENT VECTOR. IF THE FORCE IS PARALLEL TO THE DISPLACEMENT, $\cos(\theta) = 1$, AND $W = Fd$. IF THE FORCE IS PERPENDICULAR, $\cos(\theta) = 0$, AND NO WORK IS DONE. WORK IS MEASURED IN JOULES (J).

WHAT IS KINETIC ENERGY?

KINETIC ENERGY (KE) IS THE ENERGY OF MOTION. AN OBJECT'S MASS AND ITS SPEED DETERMINE HOW MUCH KINETIC ENERGY IT HAS. A HEAVIER OBJECT MOVING AT THE SAME SPEED AS A LIGHTER ONE WILL HAVE MORE KINETIC ENERGY. SIMILARLY, AN OBJECT MOVING FASTER WILL HAVE SIGNIFICANTLY MORE KINETIC ENERGY THAN THE SAME OBJECT MOVING SLOWER BECAUSE VELOCITY IS SQUARED IN THE FORMULA ($KE = \frac{1}{2}mv^2$). THIS MEANS DOUBLING THE SPEED QUADRUPLES THE KINETIC ENERGY, ILLUSTRATING A POWERFUL, NON-LINEAR RELATIONSHIP. KINETIC ENERGY IS ALSO MEASURED IN JOULES (J).

WORK DONE BY DIFFERENT FORCES

IT'S IMPORTANT TO RECOGNIZE THAT THE 'NET WORK' IN THE THEOREM IS THE SUM OF WORK DONE BY ALL INDIVIDUAL FORCES ACTING ON THE OBJECT. SOME FORCES DO POSITIVE WORK, SOME DO NEGATIVE WORK, AND SOME DO ZERO WORK.

POSITIVE WORK

POSITIVE WORK IS DONE WHEN THE FORCE APPLIED HAS A COMPONENT IN THE SAME DIRECTION AS THE OBJECT'S DISPLACEMENT. THIS TYPE OF WORK INCREASES THE OBJECT'S KINETIC ENERGY. FOR INSTANCE, WHEN YOU PEDAL A BICYCLE FORWARD, YOUR LEGS APPLY A FORCE THAT MOVES THE BIKE FORWARD, RESULTING IN POSITIVE WORK AND AN INCREASE IN SPEED.

NEGATIVE WORK

NEGATIVE WORK IS DONE WHEN THE FORCE APPLIED HAS A COMPONENT OPPOSITE TO THE DIRECTION OF THE OBJECT'S

DISPLACEMENT. THIS TYPE OF WORK DECREASES THE OBJECT'S KINETIC ENERGY. A CLASSIC EXAMPLE IS FRICTION. WHEN A CAR BRAKES, THE BRAKING FORCE OPPOSES THE CAR'S MOTION, DOING NEGATIVE WORK AND SLOWING IT DOWN, THUS REDUCING ITS KINETIC ENERGY.

ZERO WORK

ZERO WORK IS DONE WHEN THE FORCE IS PERPENDICULAR TO THE DIRECTION OF DISPLACEMENT. FOR EXAMPLE, IF YOU CARRY A HEAVY BAG HORIZONTALLY AT A CONSTANT VELOCITY, THE GRAVITATIONAL FORCE ACTING DOWNWARDS DOES NO WORK BECAUSE YOUR DISPLACEMENT IS HORIZONTAL. SIMILARLY, THE NORMAL FORCE FROM THE GROUND IS UPWARDS AND PERPENDICULAR TO YOUR HORIZONTAL MOTION, SO IT ALSO DOES NO WORK. CENTRIPETAL FORCES IN UNIFORM CIRCULAR MOTION ALSO DO ZERO WORK, AS THEY ARE ALWAYS PERPENDICULAR TO THE INSTANTANEOUS VELOCITY (DISPLACEMENT).

APPLICATIONS OF THE WORK-ENERGY THEOREM

THE WORK-ENERGY THEOREM IS INCREDIBLY VERSATILE AND FINDS APPLICATION IN NUMEROUS SCENARIOS ACROSS PHYSICS AND ENGINEERING. IT OFFERS A POWERFUL ALTERNATIVE TO NEWTON'S LAWS OF MOTION, ESPECIALLY WHEN FORCES ARE NOT CONSTANT OR WHEN THE TIME INTERVAL IS UNKNOWN OR UNIMPORTANT.

ANALYZING MOTION WITHOUT CONSTANT ACCELERATION

MANY REAL-WORLD SITUATIONS INVOLVE FORCES THAT VARY WITH POSITION, SUCH AS SPRINGS OR AIR RESISTANCE. IN THESE CASES, CALCULATING INSTANTANEOUS ACCELERATION AND INTEGRATING OVER TIME CAN BE COMPLEX. THE WORK-ENERGY THEOREM SIMPLIFIES THIS SIGNIFICANTLY. BY CALCULATING THE WORK DONE BY THESE VARIABLE FORCES OVER THE DISPLACEMENT, WE CAN DIRECTLY DETERMINE THE CHANGE IN KINETIC ENERGY AND, CONSEQUENTLY, THE FINAL VELOCITY, WITHOUT NEEDING TO KNOW THE VELOCITY AT EVERY INTERMEDIATE POINT.

CALCULATING FINAL VELOCITY OR DISPLACEMENT

GIVEN A SET OF FORCES ACTING ON AN OBJECT AND ITS INITIAL STATE (VELOCITY OR POSITION), THE WORK-ENERGY THEOREM CAN BE USED TO FIND ITS FINAL VELOCITY AFTER A CERTAIN DISPLACEMENT OR THE DISPLACEMENT REQUIRED TO REACH A CERTAIN VELOCITY. FOR EXAMPLE, ENGINEERS MIGHT USE IT TO DETERMINE HOW FAR A SPRING NEEDS TO COMPRESS TO STOP A MOVING OBJECT OR HOW FAST A ROLLER COASTER WILL BE AT THE BOTTOM OF A HILL, CONSIDERING THE WORK DONE BY GRAVITY AND FRICTION.

UNDERSTANDING ENERGY TRANSFORMATIONS

THE THEOREM IS FUNDAMENTAL TO UNDERSTANDING HOW ENERGY IS TRANSFERRED AND TRANSFORMED. WHEN A SYSTEM DOES WORK, IT OFTEN CONVERTS ONE FORM OF ENERGY INTO ANOTHER. FOR INSTANCE, CHEMICAL ENERGY IN FUEL IS CONVERTED INTO WORK DONE BY AN ENGINE, WHICH IN TURN INCREASES THE KINETIC ENERGY OF A CAR. THE WORK-ENERGY THEOREM PROVIDES A FRAMEWORK FOR QUANTIFYING THESE ENERGY TRANSFERS WITHIN MECHANICAL SYSTEMS.

ILLUSTRATIVE EXAMPLES

LET'S SOLIDIFY OUR UNDERSTANDING WITH A COUPLE OF PRACTICAL EXAMPLES.

EXAMPLE 1: A FALLING OBJECT

IMAGINE DROPPING A BALL FROM A HEIGHT. THE FORCE OF GRAVITY DOES POSITIVE WORK ON THE BALL AS IT FALLS. IF WE IGNORE AIR RESISTANCE, THE ONLY FORCE DOING WORK IS GRAVITY. LET'S SAY YOU DROP A 1 KG BALL FROM 10 METERS. THE WORK DONE BY GRAVITY IS $W_{\text{GRAVITY}} = F_g \times d = (mg) \times h = (1 \text{ kg}) \times 9.8 \text{ m/s}^2 \times 10 \text{ m} = 98 \text{ J}$. ACCORDING TO THE WORK-ENERGY THEOREM, THIS WORK DONE EQUALS THE CHANGE IN KINETIC ENERGY. IF THE BALL STARTS FROM REST ($v_i = 0$), THEN $\Delta KE = KE_f = \frac{1}{2}mv_f^2$. SO, $98 \text{ J} = \frac{1}{2}(1 \text{ kg})v_f^2$. SOLVING FOR v_f , WE GET $v_f = \sqrt{2 \times 98 \text{ J} / 1 \text{ kg}} \approx 14 \text{ m/s}$. THIS ALLOWS US TO FIND THE FINAL VELOCITY WITHOUT USING KINEMATIC EQUATIONS DIRECTLY.

EXAMPLE 2: FRICTION ON A FLAT SURFACE

CONSIDER PUSHING A BOX OF MASS 5 KG ACROSS A FLOOR WITH A CONSTANT HORIZONTAL FORCE OF 30 N. THE COEFFICIENT OF KINETIC FRICTION BETWEEN THE BOX AND THE FLOOR IS 0.2. LET'S SAY YOU PUSH THE BOX FOR 5 METERS. FIRST, WE NEED TO FIND THE FRICTIONAL FORCE: $F_f = \mu_k N = \mu_k mg = 0.2 \times 5 \text{ kg} \times 9.8 \text{ m/s}^2 = 9.8 \text{ N}$. THE WORK DONE BY THE APPLIED FORCE IS $W_{\text{APPLIED}} = 30 \text{ N} \times 5 \text{ m} = 150 \text{ J}$. THE WORK DONE BY FRICTION IS NEGATIVE BECAUSE IT OPPOSES MOTION: $W_{\text{FRICTION}} = -9.8 \text{ N} \times 5 \text{ m} = -49 \text{ J}$. THE NET WORK IS $W_{\text{NET}} = W_{\text{APPLIED}} + W_{\text{FRICTION}} = 150 \text{ J} - 49 \text{ J} = 101 \text{ J}$. IF THE BOX STARTED FROM REST, THIS NET WORK EQUALS THE FINAL KINETIC ENERGY: $101 \text{ J} = \frac{1}{2}(5 \text{ kg})v_f^2$. SOLVING FOR v_f , WE FIND $v_f = \sqrt{2 \times 101 \text{ J} / 5 \text{ kg}} \approx 6.36 \text{ m/s}$.

WORK-ENERGY THEOREM VS. OTHER PHYSICS PRINCIPLES

WHILE THE WORK-ENERGY THEOREM IS A POWERFUL TOOL, IT'S IMPORTANT TO UNDERSTAND HOW IT RELATES TO AND DIFFERS FROM OTHER FUNDAMENTAL PRINCIPLES IN PHYSICS.

COMPARISON WITH NEWTON'S SECOND LAW

NEWTON'S SECOND LAW ($\vec{F}_{\text{NET}} = m\vec{a}$) DESCRIBES THE RELATIONSHIP BETWEEN NET FORCE, MASS, AND ACCELERATION. IT'S A VECTOR EQUATION THAT TELLS US HOW AN OBJECT'S VELOCITY CHANGES OVER TIME. THE WORK-ENERGY THEOREM, ON THE OTHER HAND, IS A SCALAR EQUATION THAT RELATES THE NET WORK DONE TO THE CHANGE IN KINETIC ENERGY, WHICH IS DIRECTLY RELATED TO THE SQUARE OF THE SPEED. WHILE DERIVED FROM NEWTON'S LAWS, THE WORK-ENERGY THEOREM OFTEN BYPASSES THE NEED TO CONSIDER ACCELERATION AND TIME EXPLICITLY, MAKING IT MORE CONVENIENT FOR CERTAIN TYPES OF PROBLEMS. NEWTON'S LAWS ARE MORE FUNDAMENTAL AND PROVIDE A COMPLETE DESCRIPTION OF MOTION IN TERMS OF FORCES AND THEIR EFFECT ON ACCELERATION. THE WORK-ENERGY THEOREM IS A CONSEQUENCE OF THESE LAWS.

RELATIONSHIP TO CONSERVATION OF ENERGY

THE WORK-ENERGY THEOREM IS CLOSELY RELATED TO THE BROADER PRINCIPLE OF CONSERVATION OF ENERGY, BUT IT'S NOT THE SAME. CONSERVATION OF ENERGY STATES THAT THE TOTAL ENERGY OF AN ISOLATED SYSTEM REMAINS CONSTANT; IT CAN BE TRANSFORMED FROM ONE FORM TO ANOTHER BUT NEVER CREATED OR DESTROYED. THE WORK-ENERGY THEOREM FOCUSES SPECIFICALLY ON THE MECHANICAL ENERGY (KINETIC AND POTENTIAL) OF AN OBJECT. WHEN NON-CONSERVATIVE FORCES (LIKE

friction) are present, they do work that converts mechanical energy into other forms (like heat), leading to a change in the object's kinetic energy, as described by the theorem. If only conservative forces are doing work, then the total mechanical energy of the system remains constant, which is the principle of conservation of mechanical energy.

LIMITATIONS AND CONSIDERATIONS

Like all physical principles, the work-energy theorem has its scope of applicability and certain conditions under which it must be applied carefully.

THE DEFINITION OF NET WORK

A critical aspect is understanding what constitutes 'net work.' It is the sum of work done by all forces acting on the object in question. If you neglect a significant force, your calculation of net work will be incorrect, leading to a wrong conclusion about the change in kinetic energy. This means you must carefully identify every force acting on the body and calculate the work done by each one.

SYSTEMS VS. OBJECTS

The work-energy theorem, in its simplest form, applies to a single object. When dealing with systems of multiple interacting objects, more advanced energy conservation principles or extended versions of the work-energy theorem are often required. For instance, if two objects collide, the work done by internal forces within the system and external forces must be accounted for, which can become more complex. The theorem directly tracks the energy of motion of the object itself.

Understanding the work-energy theorem unlocks a powerful perspective on how forces interact with motion. By quantifying the relationship between work and the change in kinetic energy, it provides an efficient and insightful method for analyzing a vast array of physical phenomena. Whether you're a student grappling with introductory physics or a professional engineer designing complex machinery, this fundamental principle remains an indispensable tool.

Q: WHAT IS THE PRIMARY PURPOSE OF THE WORK-ENERGY THEOREM IN PHYSICS?

A: The primary purpose of the work-energy theorem in physics is to establish a direct link between the net work done on an object and the resulting change in its kinetic energy, providing a simplified way to analyze motion and energy transformations without always resorting to detailed kinematic equations.

Q: HOW DOES THE WORK-ENERGY THEOREM DIFFER FROM NEWTON'S SECOND LAW OF MOTION?

A: While both are fundamental principles, Newton's Second Law ($\vec{F}_{\text{net}} = m\vec{a}$) is a vector equation describing the relationship between net force, mass, and acceleration, focusing on how velocity changes over time. The work-energy theorem is a scalar equation ($W_{\text{net}} = \Delta KE$) that relates the net work done to the change in the magnitude of kinetic energy, often bypassing the need for acceleration and time calculations.

Q: CAN THE WORK-ENERGY THEOREM BE APPLIED IF THE FORCE ACTING ON AN OBJECT IS NOT CONSTANT?

A: YES, THE WORK-ENERGY THEOREM CAN BE APPLIED EVEN IF THE FORCE IS NOT CONSTANT. IN SUCH CASES, THE WORK DONE BY THE VARIABLE FORCE NEEDS TO BE CALCULATED, OFTEN THROUGH INTEGRATION OF THE FORCE WITH RESPECT TO DISPLACEMENT. THE FUNDAMENTAL RELATIONSHIP $W_{\text{NET}} = \Delta KE$ STILL HOLDS TRUE.

Q: WHAT HAPPENS TO THE KINETIC ENERGY WHEN NEGATIVE WORK IS DONE ON AN OBJECT?

A: WHEN NEGATIVE WORK IS DONE ON AN OBJECT, ITS KINETIC ENERGY DECREASES. THIS MEANS THE OBJECT SLOWS DOWN. FORCES LIKE FRICTION OR AIR RESISTANCE TYPICALLY DO NEGATIVE WORK, OPPOSING THE OBJECT'S MOTION.

Q: DOES THE WORK-ENERGY THEOREM ACCOUNT FOR CHANGES IN POTENTIAL ENERGY?

A: IN ITS MOST BASIC FORM, THE WORK-ENERGY THEOREM DIRECTLY RELATES NET WORK TO KINETIC ENERGY. HOWEVER, WHEN DEALING WITH CONSERVATIVE FORCES THAT CONTRIBUTE TO POTENTIAL ENERGY (LIKE GRAVITY OR SPRINGS), THE TOTAL MECHANICAL ENERGY (KINETIC + POTENTIAL) OF A SYSTEM REMAINS CONSTANT IF ONLY CONSERVATIVE FORCES DO WORK. THE WORK DONE BY CONSERVATIVE FORCES CAN BE EXPRESSED AS THE NEGATIVE CHANGE IN POTENTIAL ENERGY, THUS LINKING THE THEOREM TO POTENTIAL ENERGY CHANGES WITHIN A BROADER ENERGY CONSERVATION FRAMEWORK.

Q: IS THE WORK-ENERGY THEOREM APPLICABLE IN RELATIVISTIC MECHANICS?

A: THE CLASSICAL WORK-ENERGY THEOREM AS PRESENTED ($W_{\text{NET}} = \Delta KE = \frac{1}{2}mv_f^2 - \frac{1}{2}mv_i^2$) IS DERIVED FROM CLASSICAL MECHANICS AND IS NOT DIRECTLY APPLICABLE AT SPEEDS APPROACHING THE SPEED OF LIGHT. RELATIVISTIC MECHANICS REQUIRES A MODIFIED DEFINITION OF KINETIC ENERGY AND MOMENTUM, WHERE THE WORK-ENERGY RELATION TAKES ON A DIFFERENT FORM.

Q: WHAT IS MEANT BY "NET WORK" IN THE CONTEXT OF THE WORK-ENERGY THEOREM?

A: "NET WORK" REFERS TO THE SUM OF THE WORK DONE BY ALL INDIVIDUAL FORCES ACTING ON AN OBJECT. IF MULTIPLE FORCES ARE ACTING, YOU MUST CALCULATE THE WORK DONE BY EACH FORCE AND THEN ADD THEM TOGETHER (ALGEBRAICALLY, CONSIDERING POSITIVE AND NEGATIVE WORK) TO FIND THE TOTAL NET WORK THAT INFLUENCES THE CHANGE IN KINETIC ENERGY.

What Is The Work Energy Theorem In Physics

What Is The Work Energy Theorem In Physics

Related Articles

- [what is the u symbol in physics](#)
- [what is the difference between physics and chemistry](#)
- [what physics is needed for sonography](#)

[Back to Home](#)