

WHAT IS VACUUM IN PHYSICS

THE ELUSIVE VOID: UNPACKING WHAT IS VACUUM IN PHYSICS

WHAT IS VACUUM IN PHYSICS IS A CONCEPT THAT HAS FASCINATED SCIENTISTS AND THINKERS FOR CENTURIES, OFTEN CONJURING IMAGES OF EMPTY SPACE DEVOID OF ANYTHING AT ALL. HOWEVER, THE REALITY OF VACUUM IN THE REALM OF PHYSICS IS FAR MORE NUANCED AND COMPLEX THAN A SIMPLE ABSENCE OF MATTER. IT'S NOT JUST AN EMPTY CONTAINER; IT'S A DYNAMIC AND SOMETIMES SURPRISINGLY ENERGETIC ENVIRONMENT. UNDERSTANDING VACUUM IS FUNDAMENTAL TO GRASPING PHENOMENA RANGING FROM THE VASTNESS OF INTERSTELLAR SPACE TO THE INTRICATE WORKINGS OF QUANTUM MECHANICS. THIS EXPLORATION WILL DELVE INTO THE VARIOUS DEFINITIONS AND TYPES OF VACUUM, ITS PROPERTIES, ITS SIGNIFICANCE IN DIFFERENT BRANCHES OF PHYSICS, AND THE PROFOUND IMPLICATIONS IT HOLDS FOR OUR UNDERSTANDING OF THE UNIVERSE.

TABLE OF CONTENTS

- DEFINING VACUUM: MORE THAN JUST EMPTINESS
- TYPES OF VACUUM: FROM NEAR-PERFECT TO QUANTUM
- PROPERTIES OF VACUUM: WHAT'S REALLY THERE?
- THE SIGNIFICANCE OF VACUUM IN PHYSICS
- CREATING AND MEASURING VACUUM
- THE EVER-PRESENT VACUUM: IMPLICATIONS AND APPLICATIONS

DEFINING VACUUM: MORE THAN JUST EMPTINESS

AT ITS MOST BASIC, A VACUUM IS OFTEN DESCRIBED AS A SPACE ENTIRELY DEVOID OF MATTER. IMAGINE A PERFECTLY SEALED BOX FROM WHICH EVERY SINGLE ATOM AND MOLECULE HAS BEEN PAINSTAKINGLY REMOVED. IN CLASSICAL PHYSICS, THIS IDEAL VACUUM REPRESENTS AN ABSOLUTE ABSENCE OF ANY PARTICLES, PRESSURE, OR FIELDS. THIS PERFECT VOID, HOWEVER, IS LARGELY A THEORETICAL CONSTRUCT. IN PRACTICAL TERMS, AND IN MANY SCIENTIFIC CONTEXTS, A VACUUM IS UNDERSTOOD AS A SPACE WHERE THE PRESSURE IS SIGNIFICANTLY LOWER THAN ATMOSPHERIC PRESSURE. THIS MEANS THERE ARE FEWER PARTICLES PRESENT THAN WHAT WE EXPERIENCE IN OUR EVERYDAY ENVIRONMENT, BUT NOT NECESSARILY ZERO PARTICLES.

THE CONCEPT OF VACUUM HAS EVOLVED CONSIDERABLY OVER TIME. EARLY PHILOSOPHICAL DEBATES PONDERED WHETHER A PERFECT VACUUM COULD EVEN EXIST, WITH SOME ARGUING THAT NATURE ABHORS A VACUUM. LATER, WITH THE DEVELOPMENT OF MORE SOPHISTICATED EXPERIMENTAL TECHNIQUES, SCIENTISTS BEGAN TO ACHIEVE PROGRESSIVELY LOWER PRESSURES, LEADING TO A MORE REFINED UNDERSTANDING OF WHAT A VACUUM TRULY ENTAILS. IT'S THIS SPECTRUM OF LOW-PRESSURE ENVIRONMENTS, RATHER THAN AN ABSOLUTE VOID, THAT FORMS THE BASIS OF MOST SCIENTIFIC AND TECHNOLOGICAL APPLICATIONS INVOLVING VACUUM.

TYPES OF VACUUM: FROM NEAR-PERFECT TO QUANTUM

THE TERM "VACUUM" ISN'T A ONE-SIZE-FITS-ALL DESCRIPTOR. PHYSICISTS CATEGORIZE VACUUMS BASED ON THEIR PRESSURE

LEVELS AND THE NATURE OF WHAT REMAINS, IF ANYTHING. THIS CLASSIFICATION IS CRUCIAL FOR UNDERSTANDING ITS BEHAVIOR AND APPLICATIONS.

ROUGH VACUUM

A ROUGH VACUUM IS THE LEAST STRINGENT TYPE, CHARACTERIZED BY PRESSURES THAT ARE LOWER THAN ATMOSPHERIC PRESSURE BUT STILL CONTAIN A SUBSTANTIAL NUMBER OF GAS MOLECULES. THINK OF IT AS A SIGNIFICANTLY "THINNED-OUT" ATMOSPHERE. TYPICALLY, THIS RANGE SPANS FROM ATMOSPHERIC PRESSURE DOWN TO ABOUT 10^{-3} MILLIBARS (MBAR). DEVICES LIKE VACUUM CLEANERS AND SOME FOOD PACKAGING MACHINES OPERATE WITHIN THIS ROUGH VACUUM REGIME. IT'S A GOOD STARTING POINT FOR MANY INDUSTRIAL PROCESSES THAT REQUIRE A LESS DENSE ENVIRONMENT THAN AMBIENT AIR.

MEDIUM VACUUM

MOVING TO A MEDIUM VACUUM, THE PRESSURE IS FURTHER REDUCED, MEANING THERE ARE FEWER GAS MOLECULES PRESENT PER UNIT VOLUME. THE PRESSURE RANGE FOR A MEDIUM VACUUM IS GENERALLY BETWEEN 10^{-3} MBAR AND 10^{-5} MBAR. IN THIS STATE, THE MEAN FREE PATH OF THE GAS MOLECULES – THE AVERAGE DISTANCE A MOLECULE TRAVELS BEFORE COLLIDING WITH ANOTHER – BECOMES LONGER THAN THE DIMENSIONS OF THE CONTAINER. THIS IS IMPORTANT FOR PROCESSES WHERE COLLISIONS BETWEEN GAS MOLECULES THEMSELVES ARE UNDESIRABLE, SUCH AS IN CERTAIN THIN-FILM DEPOSITION TECHNIQUES.

HIGH VACUUM

A HIGH VACUUM REPRESENTS A SIGNIFICANT REDUCTION IN PRESSURE, TYPICALLY FROM 10^{-5} MBAR DOWN TO 10^{-9} MBAR. AT THESE LOW PRESSURES, THE NUMBER OF GAS MOLECULES IS GREATLY DIMINISHED, AND THEIR MEAN FREE PATH CAN BECOME QUITE LONG, OFTEN EXCEEDING THE SIZE OF THE VACUUM CHAMBER. THIS IS THE ENVIRONMENT REQUIRED FOR MANY SENSITIVE SCIENTIFIC EXPERIMENTS AND ADVANCED TECHNOLOGICAL APPLICATIONS. FOR INSTANCE, PARTICLE ACCELERATORS AND ELECTRON MICROSCOPES OFTEN OPERATE UNDER HIGH VACUUM CONDITIONS TO PREVENT INTERFERENCE FROM STRAY MOLECULES.

ULTRA-HIGH VACUUM (UHV)

THE REALM OF ULTRA-HIGH VACUUM (UHV) PUSHES THE BOUNDARIES EVEN FURTHER, WITH PRESSURES BELOW 10^{-9} MBAR AND OFTEN REACHING 10^{-12} MBAR OR EVEN LOWER. IN UHV ENVIRONMENTS, THE NUMBER OF GAS MOLECULES IS EXTREMELY SMALL, AND THEIR MEAN FREE PATH CAN EXTEND FOR KILOMETERS. ACHIEVING AND MAINTAINING UHV REQUIRES HIGHLY SPECIALIZED EQUIPMENT AND METICULOUS CLEANING PROCEDURES. THIS LEVEL OF VACUUM IS ESSENTIAL FOR SURFACE SCIENCE STUDIES, WHERE RESEARCHERS NEED TO OBSERVE AND MANIPULATE ATOMICALLY CLEAN SURFACES WITHOUT CONTAMINATION FROM THE SURROUNDING ENVIRONMENT. IT'S IN THESE NEAR-PERFECT VACUUMS THAT THE SUBTLE EFFECTS OF QUANTUM MECHANICS BECOME MORE APPARENT.

QUANTUM VACUUM

THIS IS WHERE THINGS GET TRULY MIND-BENDING. THE QUANTUM VACUUM, A CONCEPT ARISING FROM QUANTUM FIELD THEORY, IS FAR FROM EMPTY. IT IS BELIEVED TO BE A DYNAMIC SEA OF FLUCTUATING ENERGY, TEEMING WITH "VIRTUAL" PARTICLES THAT CONSTANTLY POP INTO AND OUT OF EXISTENCE. THESE VIRTUAL PARTICLES, THOUGH FLEETING, HAVE MEASURABLE EFFECTS. FOR EXAMPLE, THE CASIMIR EFFECT, WHERE TWO UNCHARGED CONDUCTIVE PLATES PLACED CLOSE TOGETHER IN A VACUUM EXPERIENCE AN ATTRACTIVE FORCE, IS A DIRECT CONSEQUENCE OF THESE QUANTUM VACUUM FLUCTUATIONS. THIS IDEA CHALLENGES OUR CLASSICAL INTUITION, SUGGESTING THAT EVEN THE MOST EMPTY SPACE IS A HIVE OF ACTIVITY.

PROPERTIES OF VACUUM: WHAT'S REALLY THERE?

DESPITE OUR INTUITIVE UNDERSTANDING OF EMPTINESS, A VACUUM, EVEN A HIGH VACUUM, IS NOT TRULY DEVOID OF EVERYTHING. SEVERAL KEY PROPERTIES DEFINE ITS NATURE AND BEHAVIOR, MAKING IT A UNIQUE PHYSICAL ENVIRONMENT.

RESIDUAL GAS MOLECULES

AS MENTIONED, EVEN IN THE BEST VACUUMS, THERE ARE STILL SOME GAS MOLECULES PRESENT. THESE ARE TYPICALLY RESIDUAL GASES THAT COULDN'T BE PUMPED OUT OR ARE OUTGASSING FROM THE VACUUM CHAMBER WALLS. THE TYPE AND QUANTITY OF THESE RESIDUAL GASES DEPEND ON THE VACUUM SYSTEM AND THE MATERIALS INVOLVED. UNDERSTANDING AND CONTROLLING THESE RESIDUAL GASES IS CRUCIAL FOR MANY APPLICATIONS.

ELECTROMAGNETIC RADIATION

A VACUUM IS AN EXCELLENT MEDIUM FOR THE PROPAGATION OF ELECTROMAGNETIC RADIATION, SUCH AS LIGHT, RADIO WAVES, AND X-RAYS. THIS IS WHY WE CAN SEE STARS AND RECEIVE SIGNALS FROM DISTANT SPACECRAFT – THE WAVES TRAVEL UNIMPEDED THROUGH THE VAST EMPTINESS OF SPACE. THIS PROPERTY IS FUNDAMENTAL TO OUR OBSERVATION OF THE COSMOS.

ENERGY AND FIELDS

WHILE MATTER MAY BE SCARCE, A VACUUM CAN STILL POSSESS ENERGY AND BE INFLUENCED BY FIELDS. GRAVITATIONAL FIELDS, FOR INSTANCE, PERMEATE SPACE REGARDLESS OF THE PRESENCE OF MATTER. FURTHERMORE, AS QUANTUM FIELD THEORY SUGGESTS, THE QUANTUM VACUUM ITSELF IS A SOURCE OF ENERGY AND FLUCTUATIONS, GIVING RISE TO PHENOMENA THAT WOULD BE INEXPLICABLE IN A CLASSICAL, EMPTY VOID.

THERMAL PROPERTIES

VACUUM HAS REMARKABLE THERMAL INSULATING PROPERTIES. BECAUSE THERE ARE VERY FEW PARTICLES TO TRANSFER HEAT THROUGH CONDUCTION OR CONVECTION, VACUUM SPACES ARE EXTREMELY EFFECTIVE AT PREVENTING HEAT LOSS OR GAIN. THIS IS THE PRINCIPLE BEHIND VACUUM FLASKS (THERMOSES) AND INSULATED VACUUM PANELS USED IN CONSTRUCTION AND REFRIGERATION.

THE SIGNIFICANCE OF VACUUM IN PHYSICS

THE CONCEPT AND MANIPULATION OF VACUUM ARE NOT MERELY ACADEMIC CURIOSITIES; THEY ARE CORNERSTONES OF NUMEROUS SCIENTIFIC DISCIPLINES AND TECHNOLOGICAL ADVANCEMENTS. ITS ABILITY TO MINIMIZE INTERFERENCE ALLOWS FOR THE OBSERVATION AND STUDY OF FUNDAMENTAL PHYSICAL PROCESSES.

PARTICLE PHYSICS AND ACCELERATORS

IN PARTICLE PHYSICS, ACCELERATORS LIKE THE LARGE HADRON COLLIDER RELY ON EXTREMELY HIGH VACUUM ENVIRONMENTS. CHARGED PARTICLES ACCELERATED TO NEAR THE SPEED OF LIGHT WOULD COLLIDE WITH EVEN A FEW STRAY AIR MOLECULES, LOSING ENERGY AND SCATTERING OFF COURSE. A NEAR-PERFECT VACUUM ENSURES THAT THE PARTICLES CAN TRAVEL UNIMPEDED, ALLOWING SCIENTISTS TO PROBE THE FUNDAMENTAL BUILDING BLOCKS OF MATTER.

SURFACE SCIENCE AND MATERIALS RESEARCH

STUDYING THE PROPERTIES OF SURFACES AND INTERFACES IS CRITICAL FOR DEVELOPING NEW MATERIALS AND TECHNOLOGIES. IN SURFACE SCIENCE, UHV IS ESSENTIAL TO ENSURE THAT THE SURFACES BEING INVESTIGATED ARE PRISTINE AND FREE FROM

CONTAMINANTS. THIS ALLOWS RESEARCHERS TO UNDERSTAND THE FUNDAMENTAL CHEMICAL AND PHYSICAL INTERACTIONS OCCURRING AT THE ATOMIC LEVEL, LEADING TO ADVANCEMENTS IN AREAS LIKE CATALYSIS, SEMICONDUCTOR MANUFACTURING, AND NANOTECHNOLOGY.

ASTROPHYSICS AND COSMOLOGY

THE VACUUM OF SPACE, THOUGH NOT PERFECTLY EMPTY, IS THE DOMINANT ENVIRONMENT IN WHICH ASTRONOMICAL PHENOMENA OCCUR. THE VAST DISTANCES BETWEEN CELESTIAL BODIES MEAN THAT THE UNIVERSE IS LARGELY A VACUUM. UNDERSTANDING HOW LIGHT, GRAVITY, AND OTHER FORCES PROPAGATE THROUGH THIS NEAR-VACUUM IS FUNDAMENTAL TO OUR UNDERSTANDING OF STARS, GALAXIES, AND THE EVOLUTION OF THE UNIVERSE ITSELF.

QUANTUM MECHANICS AND QUANTUM FIELD THEORY

AS TOUCHED UPON EARLIER, THE QUANTUM VACUUM IS A FERTILE GROUND FOR QUANTUM PHENOMENA. THE VACUUM IS NOT A PASSIVE BACKDROP BUT AN ACTIVE PARTICIPANT IN THE UNIVERSE, GENERATING VIRTUAL PARTICLES AND CONTRIBUTING TO FUNDAMENTAL FORCES. THE STUDY OF VACUUM FLUCTUATIONS HAS LED TO PROFOUND INSIGHTS INTO THE NATURE OF REALITY AT ITS MOST FUNDAMENTAL LEVEL.

CREATING AND MEASURING VACUUM

ACHIEVING AND VERIFYING VACUUM LEVELS REQUIRES SPECIALIZED EQUIPMENT AND TECHNIQUES. THE PROCESS INVOLVES BOTH REMOVING GASES AND ACCURATELY MEASURING THE REMAINING PRESSURE.

VACUUM PUMPS

VARIOUS TYPES OF VACUUM PUMPS ARE USED TO REDUCE PRESSURE. THESE INCLUDE MECHANICAL PUMPS (LIKE ROTARY VANE PUMPS) FOR ROUGH AND MEDIUM VACUUMS, AND DIFFUSION PUMPS OR TURBO-MOLECULAR PUMPS FOR HIGHER VACUUM LEVELS. ION PUMPS AND CRYOPUMPS ARE EMPLOYED TO ACHIEVE ULTRA-HIGH VACUUM BY TRAPPING GAS MOLECULES.

VACUUM GAUGES

MEASURING VACUUM PRESSURE IS DONE USING VACUUM GAUGES. DIFFERENT GAUGES ARE SUITED FOR DIFFERENT PRESSURE RANGES. PIRANI GAUGES AND CAPACITANCE MANOMETERS ARE USED FOR ROUGH TO MEDIUM VACUUMS, WHILE IONIZATION GAUGES (LIKE BAYARD-ALPERT GAUGES) AND FIELD EMISSION GAUGES ARE USED FOR HIGH AND ULTRA-HIGH VACUUMS. ACCURATE MEASUREMENT IS CRITICAL FOR ENSURING THE SUCCESS OF VACUUM-DEPENDENT PROCESSES.

THE EVER-PRESENT VACUUM: IMPLICATIONS AND APPLICATIONS

THE EXISTENCE AND MANIPULATION OF VACUUM HAVE FAR-REACHING IMPLICATIONS, UNDERPINNING MANY TECHNOLOGIES WE RELY ON DAILY AND PUSHING THE BOUNDARIES OF SCIENTIFIC DISCOVERY.

INDUSTRIAL APPLICATIONS

FROM MANUFACTURING TO FOOD PRESERVATION, VACUUM PLAYS A VITAL ROLE. VACUUM COATING IS USED TO APPLY THIN FILMS OF METALS AND OTHER MATERIALS ONTO SURFACES FOR DECORATIVE OR FUNCTIONAL PURPOSES, SUCH AS CREATING ANTI-REFLECTIVE COATINGS ON LENSES OR MIRRORS. VACUUM DRYING IS EMPLOYED TO REMOVE MOISTURE FROM HEAT-SENSITIVE

MATERIALS WITHOUT DAMAGE. VACUUM PACKAGING EXTENDS THE SHELF LIFE OF FOOD PRODUCTS.

SCIENTIFIC INSTRUMENTS

MANY SCIENTIFIC INSTRUMENTS, INCLUDING ELECTRON MICROSCOPES, MASS SPECTROMETERS, AND PARTICLE ACCELERATORS, REQUIRE A VACUUM ENVIRONMENT TO FUNCTION CORRECTLY. THIS ALLOWS FOR PRECISE ANALYSIS AND OBSERVATION OF SAMPLES AND PARTICLES WITHOUT INTERFERENCE FROM AMBIENT AIR.

SPACE EXPLORATION

THE VACUUM OF SPACE IS THE ULTIMATE PROVING GROUND FOR TECHNOLOGY DESIGNED FOR EXTRATERRESTRIAL ENVIRONMENTS. UNDERSTANDING HOW MATERIALS AND SYSTEMS BEHAVE IN VACUUM IS CRUCIAL FOR THE DESIGN OF SPACECRAFT, SATELLITES, AND SPACESUITS. THE NEAR-PERFECT VACUUM OF SPACE ALSO ALLOWS FOR UNHINDERED OBSERVATION OF CELESTIAL OBJECTS.

ULTIMATELY, THE CONCEPT OF VACUUM IN PHYSICS IS A JOURNEY FROM A SEEMINGLY SIMPLE IDEA OF EMPTINESS TO A COMPLEX AND DYNAMIC REALM GOVERNED BY FUNDAMENTAL LAWS. IT'S A TESTAMENT TO THE POWER OF SCIENTIFIC INQUIRY, REVEALING THAT EVEN IN WHAT APPEARS TO BE NOTHINGNESS, THERE IS PROFOUND STRUCTURE, ENERGY, AND A UNIVERSE OF POSSIBILITIES WAITING TO BE EXPLORED.

FAQ

Q: IS THE VACUUM OF SPACE COMPLETELY EMPTY?

A: NO, THE VACUUM OF SPACE IS NOT COMPLETELY EMPTY. WHILE IT HAS EXTREMELY LOW PRESSURE AND VERY FEW PARTICLES COMPARED TO EARTH'S ATMOSPHERE, IT STILL CONTAINS SPARSE ATOMS, MOLECULES, COSMIC RAYS, NEUTRINOS, AND ELECTROMAGNETIC RADIATION. THE QUANTUM VACUUM ALSO IMPLIES A SEA OF FLUCTUATING ENERGY AND VIRTUAL PARTICLES.

Q: WHAT IS THE DIFFERENCE BETWEEN A PERFECT VACUUM AND A HIGH VACUUM?

A: A PERFECT VACUUM IS A THEORETICAL CONSTRUCT REPRESENTING A SPACE WITH ABSOLUTELY ZERO PARTICLES AND ZERO PRESSURE. A HIGH VACUUM, ON THE OTHER HAND, IS A PRACTICALLY ACHIEVABLE STATE WHERE THE PRESSURE IS SIGNIFICANTLY REDUCED, TYPICALLY BELOW 10^{-5} MILLIBARS, BUT STILL CONTAINS A VERY SMALL NUMBER OF GAS MOLECULES.

Q: CAN VACUUM BE USED TO CREATE ENERGY?

A: WHILE THE QUANTUM VACUUM ITSELF IS THEORIZED TO POSSESS A FORM OF ENERGY (VACUUM ENERGY), HARNESSING IT DIRECTLY TO CREATE USABLE ENERGY IN A PRACTICAL SENSE IS A HIGHLY COMPLEX AND CURRENTLY THEORETICAL ENDEAVOR. PHENOMENA LIKE THE CASIMIR EFFECT DEMONSTRATE THE PHYSICAL CONSEQUENCES OF VACUUM ENERGY, BUT THESE DO NOT TRANSLATE TO A POWER SOURCE.

Q: WHY IS VACUUM IMPORTANT IN PARTICLE ACCELERATORS?

A: VACUUM IS CRITICAL IN PARTICLE ACCELERATORS BECAUSE IT PREVENTS THE HIGH-SPEED PARTICLES FROM COLLIDING WITH AIR MOLECULES. SUCH COLLISIONS WOULD CAUSE THE PARTICLES TO LOSE ENERGY, SCATTER, AND DISRUPT THE ACCELERATION PROCESS, PREVENTING SCIENTISTS FROM CONDUCTING EXPERIMENTS ON FUNDAMENTAL PARTICLES.

Q: WHAT IS OUTGASSING IN A VACUUM SYSTEM?

A: OUTGASSING IS THE PROCESS BY WHICH TRAPPED GAS MOLECULES ARE RELEASED FROM THE INTERNAL SURFACES OF A VACUUM CHAMBER AND ITS COMPONENTS. EVEN IN A VACUUM, MATERIALS SLOWLY RELEASE ADSORBED GASES, WHICH CAN INCREASE THE PRESSURE AND CONTAMINATE THE VACUUM ENVIRONMENT, MAKING IT A SIGNIFICANT CHALLENGE IN ACHIEVING AND MAINTAINING ULTRA-HIGH VACUUM.

Q: HOW DOES VACUUM PREVENT HEAT TRANSFER?

A: VACUUM IS AN EXCELLENT THERMAL INSULATOR BECAUSE IT LACKS THE MEDIUM (AIR OR OTHER GASES) NECESSARY FOR HEAT TRANSFER THROUGH CONDUCTION AND CONVECTION. HEAT CAN ONLY TRANSFER ACROSS A VACUUM VIA RADIATION, MAKING VACUUM-SEALED CONTAINERS LIKE THERMOSES VERY EFFECTIVE AT KEEPING HOT THINGS HOT AND COLD THINGS COLD.

Q: WHAT ARE VIRTUAL PARTICLES?

A: VIRTUAL PARTICLES ARE SHORT-LIVED, TRANSIENT FLUCTUATIONS IN QUANTUM FIELDS THAT BRIEFLY APPEAR AND DISAPPEAR IN THE VACUUM. THEY ARE NOT DIRECTLY OBSERVABLE IN THE SAME WAY AS REAL PARTICLES BUT HAVE MEASURABLE EFFECTS, SUCH AS CONTRIBUTING TO THE CASIMIR EFFECT AND INFLUENCING THE PROPERTIES OF REAL PARTICLES.

Q: IS THERE A "COLD" VACUUM AND A "HOT" VACUUM?

A: THE TERMS "COLD" AND "HOT" VACUUM GENERALLY REFER TO THE TEMPERATURE OF THE RESIDUAL GASES OR THE WALLS OF THE VACUUM CHAMBER, RATHER THAN THE VACUUM ITSELF. A "COLD" VACUUM MIGHT HAVE VERY FEW GAS MOLECULES AND COOLED SURFACES, WHILE A "HOT" VACUUM COULD STILL HAVE RESIDUAL GASES, OR THE CHAMBER WALLS MIGHT BE AT A HIGHER TEMPERATURE DUE TO PROCESSES OCCURRING WITHIN IT. THE VACUUM ITSELF, BEING THE ABSENCE OF MATTER, DOESN'T HAVE A TEMPERATURE IN THE CONVENTIONAL SENSE, BUT THE ENVIRONMENT IT EXISTS WITHIN DOES.

[What Is Vacuum In Physics](#)

What Is Vacuum In Physics

Related Articles

- [what percent is a 3 on ap physics 1](#)
- [where is physics wallah institute near me](#)
- [where does energy come from physics](#)

[Back to Home](#)