

SHOULD I TAKE MY CAT TO THE VET QUIZ

SHOULD I TAKE MY CAT TO THE VET QUIZ: THIS IS A QUESTION MANY FELINE GUARDIANS PONDER WHEN THEIR FURRY COMPANIONS EXHIBIT UNUSUAL BEHAVIOR OR SYMPTOMS. UNDERSTANDING WHEN A VETERINARY VISIT IS NECESSARY CAN BE CRUCIAL FOR YOUR CAT'S WELL-BEING, PREVENTING MINOR ISSUES FROM BECOMING SERIOUS HEALTH CONCERNS. THIS COMPREHENSIVE GUIDE AIMS TO EQUIP YOU WITH THE KNOWLEDGE TO ASSESS YOUR CAT'S CONDITION, OFFERING INSIGHTS INTO COMMON SIGNS OF ILLNESS AND DISTRESS. WE WILL EXPLORE VARIOUS SCENARIOS, FROM SUBTLE BEHAVIORAL CHANGES TO OBVIOUS PHYSICAL AILMENTS, HELPING YOU MAKE INFORMED DECISIONS ABOUT SEEKING PROFESSIONAL VETERINARY CARE. BY DELVING INTO THESE TOPICS, YOU'LL GAIN CONFIDENCE IN RECOGNIZING WHEN YOUR BELOVED PET NEEDS A TRIP TO THE ANIMAL HOSPITAL, ENSURING THEY RECEIVE THE TIMELY ATTENTION THEY DESERVE.

TABLE OF CONTENTS

UNDERSTANDING YOUR CAT'S NORMAL BEHAVIOR

RECOGNIZING SIGNS OF ILLNESS: A DETAILED BREAKDOWN

WHEN TO SEEK IMMEDIATE VETERINARY ATTENTION

THE IMPORTANCE OF REGULAR VETERINARY CHECK-UPS

YOUR CAT'S DIET AND HYDRATION: CLUES TO THEIR HEALTH

ASSESSING CHANGES IN LITTER BOX HABITS

BEHAVIORAL SHIFTS THAT WARRANT A VET VISIT

PHYSICAL MANIFESTATIONS OF ILLNESS: WHAT TO LOOK FOR

PREVENTATIVE CARE AND PROACTIVE PET PARENTING

UNDERSTANDING YOUR CAT'S NORMAL BEHAVIOR

BEFORE YOU CAN EFFECTIVELY DETERMINE IF YOUR CAT IS UNWELL, IT'S PARAMOUNT TO ESTABLISH A BASELINE UNDERSTANDING OF THEIR TYPICAL BEHAVIOR. EVERY CAT IS AN INDIVIDUAL, WITH UNIQUE PERSONALITIES, DAILY ROUTINES, AND ENERGY LEVELS. SOME CATS ARE NATURALLY MORE VOCAL, WHILE OTHERS ARE QUIET OBSERVERS. SOME ENJOY VIGOROUS PLAY SESSIONS, WHILE OTHERS PREFER LEISURELY NAPS IN SUNBEAMS. OBSERVING YOUR CAT'S NORMAL PATTERNS – HOW THEY EAT, SLEEP, GROOM, INTERACT WITH YOU AND OTHER PETS, AND THEIR TYPICAL VOCALIZATIONS – PROVIDES A CRUCIAL REFERENCE POINT. WITHOUT THIS BASELINE, IT'S EASY TO MISINTERPRET MINOR FLUCTUATIONS AS SIGNIFICANT PROBLEMS, OR WORSE, OVERLOOK SERIOUS WARNING SIGNS. THINK OF IT LIKE KNOWING YOUR OWN BODY; YOU KNOW WHEN SOMETHING FEELS "OFF" BECAUSE YOU'RE FAMILIAR WITH YOUR USUAL STATE OF BEING.

ESTABLISHING A BASELINE: YOUR CAT'S DAILY RHYTHMS

TAKE TIME TO ACTIVELY DOCUMENT YOUR CAT'S EVERYDAY ACTIVITIES. THIS INVOLVES NOTING THEIR MEALTIMES, THE AMOUNT THEY TYPICALLY EAT, THEIR SLEEPING LOCATIONS AND DURATION, AND THEIR GROOMING HABITS. PAY ATTENTION TO THEIR PLAYFULNESS, THEIR CURIOSITY LEVELS, AND THEIR SOCIAL INTERACTIONS. ARE THEY A LAP CAT OR MORE INDEPENDENT? DO THEY GREET YOU AT THE DOOR, OR DO THEY PREFER TO OBSERVE FROM A DISTANCE? THIS DETAILED UNDERSTANDING OF YOUR CAT'S NORMALCY WILL BE YOUR MOST POWERFUL TOOL WHEN YOU SUSPECT SOMETHING IS AMISS. CONSISTENCY IN OBSERVATION IS KEY HERE.

RECOGNIZING SIGNS OF ILLNESS: A DETAILED BREAKDOWN

CATS ARE MASTERS AT HIDING PAIN AND DISCOMFORT, AN EVOLUTIONARY TRAIT THAT HELPED THEIR ANCESTORS SURVIVE AS BOTH PREDATORS AND PREY. THIS MEANS THAT BY THE TIME A CAT SHOWS OBVIOUS SIGNS OF ILLNESS, THEY MAY ALREADY BE QUITE SICK. THEREFORE, BEING ATTUNED TO SUBTLE CHANGES IN THEIR BEHAVIOR AND APPEARANCE IS VITAL FOR EARLY DETECTION AND INTERVENTION. A SEEMINGLY SMALL ALTERATION COULD BE THE FIRST INDICATOR OF A BREWING HEALTH ISSUE.

SUBTLE CHANGES IN APPETITE AND THIRST

CHANGES IN YOUR CAT'S EATING AND DRINKING HABITS ARE OFTEN AMONG THE FIRST INDICATORS OF ILLNESS. A CAT THAT SUDDENLY LOSES INTEREST IN FOOD, OR CONVERSELY, SHOWS A RAVENOUS APPETITE THAT IS OUT OF CHARACTER, WARRANTS ATTENTION. SIMILARLY, AN INCREASE OR DECREASE IN WATER CONSUMPTION CAN SIGNAL UNDERLYING MEDICAL PROBLEMS, SUCH AS KIDNEY DISEASE OR DIABETES. IT'S IMPORTANT TO DIFFERENTIATE BETWEEN A PICKY EATER HAVING AN OFF DAY AND A CONSISTENT LACK OF INTEREST IN FOOD.

ALTERATIONS IN ACTIVITY LEVEL AND MOOD

A CAT THAT IS USUALLY ENERGETIC AND PLAYFUL BUT SUDDENLY BECOMES LETHARGIC, OR A TYPICALLY ALOOF CAT THAT BECOMES UNUSUALLY CLINGY AND DEMANDING, MIGHT BE EXPERIENCING DISCOMFORT OR ILLNESS. DEPRESSION, ANXIETY, OR PAIN CAN ALL MANIFEST AS CHANGES IN MOOD AND ACTIVITY. IF YOUR CAT IS HIDING MORE THAN USUAL, OR IF THEIR PLAYFUL ANTICS HAVE CEASED, IT'S A CAUSE FOR CONCERN.

GROOMING HABITS: A CAT'S MIRROR TO HEALTH

A CAT'S GROOMING ROUTINE IS A SIGNIFICANT INDICATOR OF THEIR OVERALL HEALTH AND WELL-BEING. HEALTHY CATS ARE METICULOUS GROOMERS, KEEPING THEIR FUR CLEAN AND TIDY. A CAT THAT STOPS GROOMING ALTOGETHER MAY BE TOO ILL OR IN TOO MUCH PAIN TO DO SO, LEADING TO A DULL, MATTED COAT. CONVERSELY, SOME CATS MAY OVER-GROOM, SOMETIMES TO THE POINT OF CREATING BALD PATCHES OR RAW SKIN, WHICH CAN BE A SIGN OF STRESS, ALLERGIES, OR PARASITES.

VOCALIZATIONS: THE UNSPOKEN LANGUAGE OF DISTRESS

WHILE SOME CATS ARE NATURALLY CHATTY, A SUDDEN INCREASE OR DECREASE IN VOCALIZATION CAN BE A SIGN OF DISTRESS. EXCESSIVE MEOWING, YOWLING, OR PURRING WHEN IN PAIN OR DISCOMFORT SHOULD NOT BE IGNORED. EVEN A NORMALLY QUIET CAT THAT STARTS MEOWING INCESSANTLY MIGHT BE TRYING TO COMMUNICATE THAT SOMETHING IS WRONG.

WHEN TO SEEK IMMEDIATE VETERINARY ATTENTION

CERTAIN SYMPTOMS ARE URGENT AND REQUIRE IMMEDIATE VETERINARY INTERVENTION. THESE ARE SIGNS THAT YOUR CAT IS LIKELY EXPERIENCING SIGNIFICANT PAIN OR A LIFE-THREATENING CONDITION. DELAYING CARE IN THESE SITUATIONS CAN HAVE SEVERE CONSEQUENCES. TRUST YOUR INSTINCTS AS A PET OWNER; IF SOMETHING FEELS CRITICALLY WRONG, IT PROBABLY IS.

DIFFICULTY BREATHING OR RESPIRATORY DISTRESS

ANY SIGNS OF LABOURED BREATHING, WHEEZING, COUGHING, OR RAPID, SHALLOW BREATHS ARE RED FLAGS. CATS CAN DEVELOP SERIOUS RESPIRATORY ILLNESSES THAT REQUIRE PROMPT MEDICAL TREATMENT. IF YOU NOTICE YOUR CAT STRUGGLING TO BREATHE, THEIR GUMS APPEAR BLUISH, OR THEY ARE PANTING, SEEK VETERINARY CARE IMMEDIATELY.

VOMITING AND DIARRHEA: BEYOND OCCASIONAL EPISODES

WHILE OCCASIONAL VOMITING OR DIARRHEA CAN SOMETIMES BE DUE TO DIETARY INDISCRETION, PERSISTENT OR SEVERE EPISODES ARE CAUSE FOR ALARM. BLOOD IN THE VOMIT OR STOOL, OR IF YOUR CAT IS LETHARGIC AND REFUSING TO EAT IN CONJUNCTION WITH THESE SYMPTOMS, NECESSITATES AN URGENT VET VISIT. DEHYDRATION CAN SET IN QUICKLY, ESPECIALLY IN KITTENS AND SENIOR CATS.

INGESTION OF TOXINS OR FOREIGN OBJECTS

IF YOU SUSPECT YOUR CAT HAS INGESTED SOMETHING POISONOUS (LIKE CERTAIN HOUSEPLANTS, CLEANING PRODUCTS, OR MEDICATIONS) OR A FOREIGN OBJECT THAT COULD CAUSE A BLOCKAGE, CONTACT YOUR VETERINARIAN OR AN EMERGENCY ANIMAL HOSPITAL RIGHT AWAY. TIME IS OF THE ESSENCE IN THESE SITUATIONS.

OBVIOUS SIGNS OF TRAUMA OR INJURY

ANY VISIBLE WOUNDS, BLEEDING, LIMPING, OR EVIDENCE OF A FALL OR ACCIDENT WARRANTS IMMEDIATE VETERINARY ASSESSMENT. CATS ARE AGILE BUT CAN STILL SUFFER INJURIES THAT MAY NOT BE IMMEDIATELY APPARENT BUT REQUIRE PROFESSIONAL DIAGNOSIS AND TREATMENT.

THE IMPORTANCE OF REGULAR VETERINARY CHECK-UPS

PREVENTATIVE CARE IS THE CORNERSTONE OF A LONG AND HEALTHY LIFE FOR YOUR FELINE COMPANION. REGULAR VETERINARY CHECK-UPS ALLOW YOUR VET TO CATCH POTENTIAL HEALTH ISSUES IN THEIR EARLIEST STAGES, OFTEN BEFORE YOU NOTICE ANY OUTWARD SYMPTOMS. THESE VISITS ARE NOT JUST FOR WHEN YOUR CAT IS SICK; THEY ARE AN INTEGRAL PART OF THEIR OVERALL WELLNESS PLAN.

ANNUAL OR BIENNIAL WELLNESS EXAMS

YOUR VETERINARIAN WILL PERFORM A THOROUGH PHYSICAL EXAMINATION, CHECK YOUR CAT'S WEIGHT, LISTEN TO THEIR HEART AND LUNGS, EXAMINE THEIR EYES, EARS, AND MOUTH, AND PALPATE THEIR ABDOMEN. THIS PROACTIVE APPROACH CAN IDENTIFY SUBTLE ABNORMALITIES THAT MIGHT OTHERWISE GO UNNOTICED.

VACCINATIONS AND PARASITE CONTROL

REGULAR VISITS ENSURE YOUR CAT STAYS UP-TO-DATE ON ESSENTIAL VACCINATIONS TO PROTECT THEM FROM COMMON AND POTENTIALLY DEADLY DISEASES. THEY ALSO PROVIDE AN OPPORTUNITY TO DISCUSS AND IMPLEMENT EFFECTIVE PARASITE CONTROL MEASURES, SAFEGUARDING YOUR CAT AND YOUR FAMILY FROM FLEAS, TICKS, WORMS, AND OTHER UNWELCOME GUESTS.

YOUR CAT'S DIET AND HYDRATION: CLUES TO THEIR HEALTH

WHAT YOUR CAT EATS AND DRINKS, AND HOW THEY PROCESS IT, PROVIDES SIGNIFICANT INSIGHT INTO THEIR INTERNAL HEALTH. DEVIATIONS FROM NORMAL DIETARY AND HYDRATION PATTERNS CAN BE EARLY WARNING SIGNS OF UNDERLYING CONDITIONS. MAINTAINING A BALANCED DIET AND ENSURING ADEQUATE WATER INTAKE ARE FUNDAMENTAL FOR FELINE WELL-BEING.

MONITORING FOOD INTAKE AND WEIGHT CHANGES

A SUDDEN LOSS OF APPETITE OR UNEXPLAINED WEIGHT LOSS CAN INDICATE VARIOUS HEALTH PROBLEMS, INCLUDING DENTAL ISSUES, GASTROINTESTINAL DISORDERS, OR MORE SERIOUS SYSTEMIC DISEASES. CONVERSELY, SUDDEN WEIGHT GAIN WITHOUT A CORRESPONDING INCREASE IN FOOD INTAKE MIGHT SUGGEST HORMONAL IMBALANCES OR FLUID RETENTION.

OBSERVING WATER CONSUMPTION PATTERNS

CHANGES IN HOW MUCH WATER YOUR CAT DRINKS CAN BE A CRUCIAL DIAGNOSTIC CLUE. INCREASED THIRST (POLYDIPSIA) IS OFTEN ASSOCIATED WITH CONDITIONS LIKE DIABETES MELLITUS, HYPERTHYROIDISM, OR KIDNEY DISEASE. A DECREASE IN WATER INTAKE MIGHT INDICATE NAUSEA OR A RELUCTANCE TO DRINK DUE TO PAIN.

ASSESSING CHANGES IN LITTER BOX HABITS

THE LITTER BOX IS A CAT'S BATHROOM, AND ANY CHANGES IN ITS USE ARE OFTEN SIGNIFICANT INDICATORS OF THEIR HEALTH AND EMOTIONAL STATE. OBSERVING YOUR CAT'S LITTER BOX HABITS CAN PROVIDE INVALUABLE CLUES ABOUT WHAT MIGHT BE BOTHERING THEM. THIS IS ONE OF THE MOST COMMON WAYS OWNERS DETECT ILLNESS.

FREQUENCY OF URINATION AND DEFECATION

A NOTICEABLE INCREASE OR DECREASE IN HOW OFTEN YOUR CAT URINATES OR DEFECATES CAN SIGNAL VARIOUS ISSUES. FREQUENT, SMALL URINATIONS, ESPECIALLY IN MALES, COULD INDICATE A URINARY TRACT INFECTION OR A BLOCKAGE, WHICH IS A MEDICAL EMERGENCY. INFREQUENT DEFECATION MIGHT POINT TO CONSTIPATION, WHILE VERY LOOSE OR WATERY STOOLS CAN INDICATE DIARRHEA.

STRAINING OR DISCOMFORT DURING ELIMINATION

IF YOU OBSERVE YOUR CAT STRAINING TO URINATE OR DEFECATE, OR VOCALIZING IN PAIN WHILE USING THE LITTER BOX, THIS IS A SERIOUS CONCERN. STRAINING TO URINATE, PARTICULARLY IN MALE CATS, CAN INDICATE A LIFE-THREATENING URETHRAL BLOCKAGE. STRAINING TO DEFECATE COULD SUGGEST SEVERE CONSTIPATION OR OTHER GASTROINTESTINAL PROBLEMS.

BLOOD IN URINE OR STOOL

THE PRESENCE OF BLOOD IN YOUR CAT'S URINE OR STOOL IS NEVER NORMAL AND ALWAYS WARRANTS PROMPT VETERINARY ATTENTION. IT CAN BE A SIGN OF URINARY TRACT INFECTIONS, BLADDER STONES, INTESTINAL PARASITES, OR OTHER GASTROINTESTINAL ISSUES.

BEHAVIORAL SHIFTS THAT WARRANT A VET VISIT

CATS EXPRESS THEIR DISCOMFORT AND PAIN THROUGH SUBTLE, AND SOMETIMES NOT-SO-SUBTLE, BEHAVIORAL CHANGES. AS THEIR GUARDIANS, LEARNING TO INTERPRET THESE SHIFTS IS KEY TO UNDERSTANDING THEIR NEEDS AND ENSURING THEIR PROMPT CARE. WHAT MIGHT SEEM LIKE A SIMPLE PERSONALITY QUIRK COULD BE A CRY FOR HELP.

INCREASED HIDING OR WITHDRAWAL

A CAT THAT SUDDENLY STARTS HIDING MORE THAN USUAL, OR BECOMES WITHDRAWN FROM FAMILY MEMBERS, MIGHT BE TRYING TO ESCAPE PAIN OR DISCOMFORT. THIS INSTINCT TO ISOLATE WHEN UNWELL IS DEEPLY INGRAINED IN FELINE BEHAVIOR.

AGGRESSION OR IRRITABILITY

PAIN OR ILLNESS CAN MAKE EVEN THE MOST DOCILE CAT IRRITABLE AND PRONE TO AGGRESSION. IF YOUR CAT IS SUDDENLY NIPPING, SWATTING, OR HISSING WHEN THEY WEREN'T BEFORE, INVESTIGATE THE UNDERLYING CAUSE.

CHANGES IN SLEEPING PATTERNS

WHILE CATS ARE KNOWN FOR THEIR LOVE OF NAPS, SIGNIFICANT CHANGES IN THEIR SLEEPING PATTERNS – SLEEPING MUCH MORE OR MUCH LESS, OR APPEARING RESTLESS – CAN INDICATE AN UNDERLYING PROBLEM.

DESTRUCTIVE BEHAVIOR

UNUSUAL DESTRUCTIVE BEHAVIOR, SUCH AS SCRATCHING FURNITURE EXCESSIVELY OR CHEWING ON INAPPROPRIATE ITEMS, CAN SOMETIMES BE A SIGN OF STRESS, ANXIETY, OR A PHYSICAL AILMENT THAT IS CAUSING THEM DISTRESS.

PHYSICAL MANIFESTATIONS OF ILLNESS: WHAT TO LOOK FOR

BEYOND BEHAVIORAL CHANGES, THERE ARE MANY VISIBLE PHYSICAL SIGNS THAT CAN INDICATE YOUR CAT IS NOT FEELING WELL. REGULAR PHYSICAL GROOMING OF YOUR CAT CAN HELP YOU BECOME FAMILIAR WITH THEIR NORMAL BODY AND SPOT ANY DEVELOPING ISSUES.

EYE, EAR, AND NOSE DISCHARGE

DISCHARGE FROM THE EYES, NOSE, OR EARS CAN BE A SYMPTOM OF INFECTION, ALLERGIES, OR OTHER MEDICAL CONDITIONS. THE COLOR AND CONSISTENCY OF THE DISCHARGE CAN PROVIDE CLUES TO THE NATURE OF THE PROBLEM.

CHANGES IN COAT CONDITION

AS MENTIONED EARLIER, A DULL, UNKEMPT COAT OR EXCESSIVE SHEDDING CAN SIGNAL UNDERLYING HEALTH ISSUES. SKIN ABNORMALITIES LIKE REDNESS, SCABS, OR LUMPS ALSO REQUIRE VETERINARY ATTENTION.

SWOLLEN AREAS OR LUMPS

ANY NEW LUMPS, BUMPS, OR SWOLLEN AREAS ON YOUR CAT'S BODY SHOULD BE EXAMINED BY A VETERINARIAN. THESE CAN RANGE FROM BENIGN CYSTS TO MORE SERIOUS TUMORS.

ORAL HEALTH ISSUES

BAD BREATH, DIFFICULTY EATING, DROOLING, OR VISIBLE SORES OR REDNESS IN THE MOUTH CAN INDICATE DENTAL DISEASE OR OTHER ORAL HEALTH PROBLEMS THAT NEED PROFESSIONAL CARE.

PREVENTATIVE CARE AND PROACTIVE PET PARENTING

ULTIMATELY, THE BEST APPROACH TO YOUR CAT'S HEALTH IS PROACTIVE RATHER THAN REACTIVE. BY UNDERSTANDING THEIR NORMAL BEHAVIOR, RECOGNIZING SUBTLE SIGNS OF ILLNESS, AND ENGAGING IN REGULAR PREVENTATIVE CARE, YOU CAN SIGNIFICANTLY CONTRIBUTE TO A LONG, HAPPY, AND HEALTHY LIFE FOR YOUR FELINE COMPANION. DON'T HESITATE TO CONTACT YOUR VETERINARIAN IF YOU HAVE ANY CONCERNS, NO MATTER HOW MINOR THEY MAY SEEM.

Q: WHAT ARE THE MOST COMMON REASONS TO TAKE A CAT TO THE VET?

A: THE MOST COMMON REASONS TO TAKE A CAT TO THE VET INCLUDE ANNUAL CHECK-UPS AND VACCINATIONS, SIGNS OF ILLNESS SUCH AS VOMITING, DIARRHEA, LETHARGY, OR LOSS OF APPETITE, INJURIES OR TRAUMA, DENTAL PROBLEMS, AND

BEHAVIORAL CHANGES THAT ARE OUT OF CHARACTER.

Q: HOW CAN I TELL IF MY CAT IS IN PAIN WITHOUT THEM SHOWING OBVIOUS SIGNS?

A: CATS ARE MASTERS AT HIDING PAIN. LOOK FOR SUBTLE CLUES LIKE CHANGES IN APPETITE, INCREASED HIDING OR WITHDRAWAL, RELUCTANCE TO BE PETTED OR PICKED UP, SUBTLE VOCALIZATIONS (LIKE INCREASED PURRING OR UNUSUAL MEOWS), CHANGES IN GROOMING HABITS (EITHER NEGLECTING GROOMING OR OVER-GROOMING), AND ALTERED POSTURE (E.G., HUNCHING).

Q: MY CAT IS SNEEZING A LOT, SHOULD I BE WORRIED?

A: OCCASIONAL SNEEZING CAN HAPPEN, BUT PERSISTENT OR FREQUENT SNEEZING, ESPECIALLY IF ACCOMPANIED BY NASAL DISCHARGE, WATERY EYES, OR LETHARGY, WARRANTS A VET VISIT. IT COULD INDICATE A COLD, ALLERGIES, OR A MORE SERIOUS RESPIRATORY INFECTION.

Q: MY CAT'S LITTER BOX HABITS HAVE CHANGED. WHAT DOES THIS MEAN?

A: CHANGES IN LITTER BOX HABITS ARE SIGNIFICANT. INCREASED FREQUENCY OF URINATION, STRAINING TO URINATE, BLOOD IN URINE, INFREQUENT DEFECATION, OR DIARRHEA ALL REQUIRE PROMPT VETERINARY ATTENTION. THESE CAN INDICATE URINARY TRACT ISSUES, KIDNEY PROBLEMS, OR GASTROINTESTINAL DISTRESS.

Q: IS IT NORMAL FOR MY CAT TO VOMIT OCCASIONALLY?

A: WHILE OCCASIONAL VOMITING CAN OCCUR, ESPECIALLY IF YOUR CAT INGESTS SOMETHING THEY SHOULDN'T, FREQUENT OR PERSISTENT VOMITING IS NOT NORMAL. IF YOUR CAT VOMITS MORE THAN ONCE OR TWICE IN A DAY, SEEMS UNWELL, OR VOMITS BLOOD, SEEK VETERINARY CARE IMMEDIATELY.

Q: MY CAT IS SUDDENLY VERY LETHARGIC AND SLEEPING ALL THE TIME. WHAT SHOULD I DO?

A: A SIGNIFICANT DECREASE IN ACTIVITY LEVEL AND INCREASED SLEEPING CAN BE A SIGN OF MANY UNDERLYING HEALTH ISSUES, INCLUDING INFECTION, PAIN, ANEMIA, OR ORGAN DYSFUNCTION. IF THIS CHANGE IS SUDDEN AND PRONOUNCED, IT'S BEST TO CONSULT YOUR VETERINARIAN.

Q: MY CAT WON'T EAT. HOW LONG SHOULD I WAIT BEFORE TAKING THEM TO THE VET?

A: CATS SHOULD NOT GO WITHOUT FOOD FOR MORE THAN 24-48 HOURS, AS THIS CAN LEAD TO A SERIOUS CONDITION CALLED HEPATIC LIPIDOSIS (FATTY LIVER DISEASE). IF YOUR CAT IS REFUSING FOOD, ESPECIALLY IF ACCOMPANIED BY OTHER SYMPTOMS LIKE VOMITING OR LETHARGY, CONTACT YOUR VET PROMPTLY.

Should I Take My Cat To The Vet Quiz

Should I Take My Cat To The Vet Quiz

Related Articles

- [quizzer quiz](#)
- [saved by the bell quiz](#)
- [rn learning system medical surgical endocrine practice quiz](#)

[Back to Home](#)